



A Global Warming Primer

Second Edition

NATIONAL CENTER FOR POLICY ANALYSIS

© 2007, 2013 National Center for Policy Analysis

ISBN 1-56808-230-4

Disclaimer: This primer is based on a review of available scientific research. The NCPA received no money and no input from any private company or government agency.


A Global Warming Primer

The purpose of this primer is to explore some of the main scientific, economic and political issues surrounding the topic of global warming.

Table of Contents

Part I: A Brief History of Global Warming	4
Part II: Consequences of Recent Warming	22
Part III: Responses to Future Warming	31
Source List	38


Part I: A Brief History of Global Warming

An aerial photograph of a vast, snow-covered mountain range. The mountains are rugged and layered, with deep valleys and ridges. The snow is bright white, contrasting sharply with the dark, rocky terrain. The sky is a clear, deep blue, and the overall scene is serene and majestic.

Greenhouse gases are a small part of the Earth's atmosphere. However, they are critical to making the planet habitable—keeping the Earth from being a freezing rock in space like Mars.


Human activities, primarily the burning of fossil fuels for energy and deforestation, have contributed to an increase in greenhouse gases and many scientists believe this has caused the present warming trend.

Greenhouse gases make up no more than 2 percent of the Earth's atmosphere.



○ How Much of the Atmosphere Is Greenhouse Gases?


What Are the Greenhouse Gases in the Atmosphere?



CO₂ is a naturally occurring greenhouse gas. Humans and other animals emit CO₂ into the atmosphere when they exhale, and plants absorb it.


CO₂ and other trace gases are only 5 percent of the greenhouse gases in the atmosphere. Water vapor makes up the other 95 percent.

Humans contribute approximately 3.4 percent of annual CO₂ emissions. However, small increases in annual CO₂ emissions, whether from humans or any other source, can lead to a large CO₂ accumulation over time because CO₂ molecules can remain in the atmosphere for more than a century.




Where Do CO₂ Emissions Come From?

What Is the Human Share of the Greenhouse Effect?



Humanity is responsible for about one-quarter of 1 percent of the greenhouse effect.


There was an explosion of life forms 550 million years ago (Cambrian Period), when CO₂ levels were 18 times higher than today. During the Jurassic Period, when the dinosaurs roamed the Earth, CO₂ levels were as much as nine times higher than today.



How Have CO₂ Levels Changed over the Past 600 Million Years?


How Has the Earth's Temperature Changed over the Past 600 Million Years?

Average Global Temperature




During the time dinosaurs roamed the Earth, the average temperature was about 18°F (10°C) warmer than it is today.

Over long periods of time, there is no close relationship between CO₂ levels and temperature.




Is There a Relationship Between CO₂ and Global Temperature over the Earth's History?

How Has the Earth's Temperature Changed over the Past 400,000 Years?



Over the past 400,000 years, there has been a series of ice ages lasting 100,000 years, on the average, interrupted by warm periods lasting about 10,000 years. During ice ages, the temperature drops by as much as 21°F, sea levels fall dramatically, glaciers expand and most living things are forced to migrate toward the equator. During periods of relative warmth, sea levels rise and glaciers retreat. We are currently at the tail end of a warm period.


For the past 400,000 years, temperature and CO₂ levels have varied together. However, the Earth's temperature has consistently risen and fallen hundreds of years prior to increases and declines in CO₂ levels.



What Is the Relationship between Temperature and CO₂ over the Past 400,000 Years?

How Have Temperatures Changed over the Past 3,000 Years?


China



During Roman (Holocene) and medieval (MWP) times, the Earth was as warm as or warmer than it is today. A “little ice age” (LIA) began in the 1300s and ended in the mid-1800s.


CO₂ levels have been fairly constant for the last 10,000 years. Largely due to human activities, including the burning of fossil fuels and deforestation, CO₂ levels have risen approximately 35 percent since the beginning of the industrial revolution, with more than 80 percent of that rise occurring since 1950.

CO₂ Concentration,
parts per million




How Much Have CO₂ Levels Changed in Recent Times?

How Much of the Present Warming Was Caused by Increasing Levels of CO₂?



The Earth's average temperature has risen approximately one degree Celsius over the past century. Although almost half of this warming occurred before 1940, greenhouse gas emissions began to rise substantially only after the 1950s. There has been no warming for the last 16 years.


China emits more CO₂ than any other country.



How Do America's CO₂ Emissions Compare to China?

How Have CO₂ Emissions Changed in Recent Years?


CO₂ Emissions Since 1997



The United States has slowed the growth of its emissions far more than Europe—despite larger population growth and higher economic growth. Largely due to a nearly global recession, since 2005, CO₂ emissions have declined in both the U.S. and Europe.


Most reports focus on gross CO₂ emissions. However, as much as 40 percent of U.S. human CO₂ emissions are reabsorbed, primarily by vegetation.

U.S. Human-Caused CO₂ Emissions
(millions of metric tons)




How Much CO₂ Does the United States Really Emit?

How Much Do We Know about the Causes of Global Temperature Change?



There are many climate change models used to predict global warming. This graph shows how the mid-range estimates of those models have changed over time.

Predicted Temperature Increases



How Good Are Climate Models at Predicting Global Warming?


Part II: Consequences of Recent Warming

Many scientists worry that global warming will cause droughts, floods, hurricanes of greater intensity, coastal flooding and the extinction of species that cannot adapt to change. So far, these effects are not evident.



Is Global Warming Causing Rising Sea Levels?


Annual Rate of Sea Level Rise



Sea levels have risen since the Earth began to come out of the last ice age. However, the rate of sea level rise since 1961, less than two-sixteenths of an inch annually, is far lower than the historic average.

While ice has melted at the edges and thinned in other locations on Greenland and Antarctica, much of their interiors have thickened due in part to increased annual snowpack. Estimates of the net effect range from ice gains to ice losses. At most, ice loss in the two regions since 1993 has contributed 0.8 mm to annual sea level rise per year—a rate that would total 3 inches by 2100.


Range of Estimates for Growth or Loss of Ice
(1961-2003, billions of tons)



Are the Ice Sheets Melting?

Is Global Warming Killing Polar Bears?


Status of Different Polar Bear Populations



Polar bear numbers increased dramatically from around 5,000 in the 1950s to as many as 25,000 today, higher than at any time in the 20th century.

Of the distinct polar bear populations worldwide, only two populations are decreasing. The majority of the populations are stable or increasing.


Neither the number nor the strength of hurricanes has increased outside the natural range of variability (category 1 is the lowest wind velocity and category 5 is the highest).



Is Global Warming Causing More Frequent or More Severe Hurricanes?

Is Global Warming Causing More Weather-Related Deaths?


Weather-Related Deaths Per Year
(in thousands)



Worldwide weather-related deaths have declined dramatically over the past eight decades.


Recent annual ice melt on Greenland has not exceeded historic natural variability.

Annual Greenland Ice Extent




Is Global Warming Causing Greater Ice Melt?

Natural variability has produced both more frequent and longer droughts in the past than we experience today, and more frequent years of high rainfall.



Is Global Warming Causing More Frequent or More Severe Droughts?

Are There Any Benefits from Increased CO₂?




CO₂ is like plant food and most plants evolved at times when CO₂ levels were much higher than today. Laboratory results show that plants grow bigger and faster with increased levels of CO₂, and because of certain features of plant physiology, under high CO₂ conditions plants grow even faster when under stress from insufficient water supplies.

Part III: Responses to Future Warming

Even though there have been few visible consequences of global warming in the 20th century, the latest United Nations report projects increased coastal flooding (due to sea levels rising approximately 17 inches) and millions of additional cases of malaria (as mosquitoes breed at higher elevations) and hunger (due to increased drought).


Most laws and treaties proposed to prevent, reduce or slow global warming would be expensive and do little to prevent warming or future harms. For instance, the Kyoto Protocol, the international treaty designed to cut greenhouse gas emissions on average 7 percent below 1990 levels, would have cost approximately \$165 billion, and the Waxman-Markey bill would reduce gross domestic product by \$9.4 trillion by 2035. For a fraction of the cost, we could prevent much more harm and benefit many more people by adapting to a warmer world.

Can Waxman-Markey Stop Global Warming? ○




The Waxman-Markey bill is designed to reduce U.S. greenhouse gas emissions by 83% below their levels in 2005 by 2050. Even if the U.S. meets this emission target, the Earth would only be marginally cooler.

Meeting the Waxman-Markey bill's target would mean reducing per capita CO₂ emissions to levels not seen since the 1860s, when people had no electricity, cars or planes, phones, televisions, radios, computers or other electronics.




What Would Waxman-Markey Mean for the Average Person?

Will Cutting CO₂ Emissions Reduce the Harms to Which Warming Contributes?



Focused adaptation means taking steps now to adapt to warmer conditions—such as using pesticides to kill malaria-bearing mosquitoes, improving farming practices and ending subsidies to coastal development. These measures could virtually eliminate the threat of coastal flooding and cut in half the number of people projected to be at risk from malaria and hunger.


At a cost of less than \$10 billion annually, focused adaptation is relatively cheap.



Would Adapting to Climate Change Be Better than Trying to Prevent It?

How Would the Kyoto Protocol Affect Poor Countries?

Reduction from Predicted Level of Gross Domestic Product in 2030



Less-developed countries (which are not required to reduce CO₂ emissions) would suffer significant harm from the Kyoto Protocol due to loss of world trade and other economic impacts.

The Copenhagen Consensus, a panel of eight world-renowned economists (including three Nobel laureates), met in 2004 to discuss and prioritize proposals that address ten of the world's greatest challenges and advance global welfare (see ranking below). The challenges, identified by the United Nations, included: civil conflicts; climate change; communicable diseases; education; financial stability; governance; hunger and malnutrition; migration; trade reform; and water and sanitation.

		Challenge	Response
Very Good	1	Diseases	Control of HIV/AIDS
	2	Malnutrition	Providing micronutrients
	3	Subsidies and Trade Barriers	Trade liberalization
	4	Diseases	Control of malaria
Good	5	Malnutrition	Development of new agricultural technologies
	6	Water and Sanitation	Small-scale water technology for livelihoods
	7	Water and Sanitation	Community-managed water supply and sanitation
	8	Water and Sanitation	Research on water productivity in food production
	9	Government	Lowering the cost of starting a new business
Fair	10	Migration	Lowering barriers to migration for skilled workers
	11	Malnutrition	Improving infant and child nutrition
	12	Malnutrition	Reducing the prevalence of low birth weight
	13	Diseases	Scaled-up basic health services
Bad	14	Migration	Guest worker programs for the unskilled
	15	Climate	Optimal carbon tax
	16	Climate	The Kyoto Protocol
	17	Climate	Value-at-risk carbon tax

How Do Scholars Rank the World's Ills and Opportunities to Contain Them?

Source List

Graph/chart complete sources, by page number.

Pg. 5 "Atmosphere: Components and Characteristics of the Earth's Atmosphere," *Columbia Electronic Encyclopedia*, 2007, published on Factmonster.com. Available at <http://www.factmonster.com/ce6/sci/A0856758.html>.

Pg. 6 Taken from Monte Heib, "Global Warming: A Closer Look at the Numbers," Plant Fossils of West Virginia (Web site), January 10, 2003, table 3; available at http://www.geocraft.com/WVFossils/greenhouse_data.html. Also see Steven Milloy, "Coconuts in Wyoming?" FOXNews.com, June 17, 2004. Available at <http://www.foxnews.com/story/0,2933,123013,00.html>.

Pg. 7 Amy Kaleita, "Sense and Sequestration: The Carbon Sequestration Cycle Explained," Pacific Research Institute, November 2006; available at http://liberty.pacificresearch.org/docLib/20070202_2006_Carbon_seq.pdf. Volcano Hazards Program, U.S. Geological Survey, "Volcanic Gases and Their Effects," January 10, 2006.

Pg. 8 Lee C. Gerhard, "Geologic Constraints on Global Climate Variability," *Search and Discovery*, Article No. 70030, January 2007; available at <http://searchanddiscovery.net/documents/2007/07005gerhard/index.htm>.

Pg. 9-11 Figures based on Monte Hieb, "Climate and the Carboniferous Period: Similarities with Our Present World," Plant Fossils of West Virginia (Web site), updated September 19, 2006; available at http://mysite.verizon.net/mhieib/WVFossils/Carboniferous_climate.html. For temperature data, see C.R. Scotese, "Climate History: Ice House or Hot House?" PALEOMAP Project, April 20, 2002; available at <http://www.scotese.com/climate.htm>. For CO₂ data, see Robert A. Berner and Zavareth Kothavala, "Geocarb III: A Revised Model of Atmospheric CO₂ over Phanerozoic Time," *American Journal of Science*, Vol. 301, February 2001, pages 182-204; available at <http://www.ajsonline.org/cgi/content/abstract/301/2/182>.

Pg. 12 Jean Robert Petit et al., "Climate and Atmospheric History of the Past 420,000 Years from the Vostok Ice Core in Antarctica," *Nature*, Vol. 399, No. 6735, June 3, 1999, pages 429-36.

Pg. 13 Hubertus Fischer et al., "Ice Core Records of Atmospheric CO₂ Around the Last Three Glacial Terminations," *Science*, Vol. 283, No. 5408, March 12, 1999, pages 1,712-14. Also see Urs Siegenthaler et al., "Stable Carbon Cycle-Climate Relationship During the Late Pleistocene," *Science*, Vol. 310, No. 5752, November 25, 2005, pages 1,313-17; and Leonid F. Khilyuk

et al., "Global Warming: Are We Confusing Cause and Effect?" *Energy Sources, Part A: Recovery, Utilization and Environmental Effects*, Vol. 25, Issue 4, April 2003, pages 357-370.

Pg. 14 Y.T. Hong et. al., "Response of Climate to Solar Forcing Recorded in a 6,000-Year Time Series of Chines Peat Cellulose," *The Holocene*, Vol. 10, 2000, page 1-7.

Pg. 15 Charles D. Keeling and Timothy P. Whorf, "Atmospheric CO₂ Records from Sites in the SIO Air Sampling Network" in "Trends Online: A Compendium of Data on Global Change," Carbon Dioxide Information Analysis Center, U.S. Department of Energy, 2005; available at <http://cdiac.ornl.gov/trends/trends.htm>. David M. Etheridge et al., "Historical CO₂ Records from the Law Dome DE08, DE08-2, and DSS Ice Cores," in "Trends Online: A Compendium of Data on Global Change," Carbon Dioxide Information Analysis Center, U.S. Department of Energy, 1998. And Albrecht Neftel et al., "Historical CO₂ Records from the Siple Station Ice Core," in "Trends Online: A Compendium of Data on Global Change," Carbon Dioxide Information Analysis Center, U.S. Department of Energy, 1994.

Pg. 16 NOAA National Climatic Data Center, "Climate at a Glance," <http://www.ncdc.noaa.gov/cagl/>.

Pg. 17 U.S. Energy Information Agency, International Energy Outlook 2011. World carbon dioxide emissions by region, http://www.eia.gov/oiaf/aeo/tablebrowser/#release=IEO2011&subject=0-IEO2011&table=10-IEO2011®ion=0-0&cases=Reference-0504a_1630.

Pg. 18 Marlo Lewis Jr., "Al Gore's Science Fiction: A Skeptic's Guide to An Inconvenient Truth," Competitive Enterprise Institute, Congressional Working Paper, March 16, 2007, page 115. Available at <http://www.cei.org/pdf/5820.pdf>. Data from the Energy Information Administration.

Pg. 19 Stephen W. Pacala et al., "Consistent Land- and Atmospheric-Based U.S. Carbon Sink Estimates," *Science*, Vol. 292, No. 5525, June 22, 2001, pages 2,316-20.

Pg. 20 "Climate Change 2007: The Physical Science Basis," Intergovernmental Panel on Climate Change, February 2007.

Pg. 21 Intergovernmental Panel on Climate Change, Assessment Reports, 1990, 1995, 2001 and 2007. Also see, U.S. General Accounting Office, "Global Warming: Limitations of General Circulation Models and Costs of Modeling Efforts," GAO/RCED-95-164, July 1995; available at <http://www.gao.gov/archive/1995/rc95164.pdf>.

Pg. 23 Gerald T. Westbrook, "Sea Levels and Globalization," National Center for Policy Analysis, Brief Analysis No. 282, October 9, 1998. Richard Alley et al., "Summary for Policymakers," in "Climate Change 2007: The Physical Science Basis," Intergovernmental Panel on Climate Change, February 2007.

Pg. 24 Peter Lemke et al, "Observations: Changes in Snow, Ice and Frozen Ground," in "Climate Change 2007: The Physical Science Basis," Intergovernmental Panel on Climate Change, 2007, page 363-66. Available at http://ipcc-wg1.ucar.edu/wg1/Report/AR4WG1_Pub_Ch04.pdf.

Pg. 25 Stefan Norris, Lynn Rosentrater and Pal Martin Eid "Polar Bears at Risk: A WWF Status Report," World Wildlife Fund, May 2002.

Pg. 26 Patrick Michaels, "Global Warming and Hurricanes: Still No Connection," *Capitalism Magazine*, September 24, 2005. Available at <http://www.capmag.com/article.asp?ID=4418>. Figures by Patrick Michaels; derived from National Hurricane Center data and extending on data from Peter Webster et al., "Changes in Tropical Cyclone Number, Duration, and Intensity in a Warming Environment," *Science*, Vol. 309, No. 5742, September 16, 2005.

Pg. 27 Indur M. Goklany, "Death and Death Rates Due to Extreme Weather Events: Global and U.S. Trends, 1900-2004," Climate Change and Disaster Losses Workshop, Hohenkammer, Germany, May 25-26, 2006. Available at <http://members.cox.net/goklany/Extreme%20Events%20Note%20Hohenkammer.pdf>.

Pg. 28 Fauenfeld, Knappenberger and Michaels, *Journal of Geophysical Research*, vol. 16, April 18, 2011, pages 1,784-2,009.

Pg. 29 NOAA National Climatic Data Center, State of the Climate: Drought for Annual 2012, published online December 2012, available at <http://www.ncdc.noaa.gov/sotc/drought/2012/13>.

Pg. 30 Sherwood B. Idso, "CO₂ and the Biosphere: The Incredible Legacy of the Industrial Revolution," Third Annual Kuehnast Lecture, University of Minnesota, Department of Soil, Safety and Climate, 1995.

Pg. 32 Chip Knappenberger, "Climate Impacts of Waxman-Markey (the IPCC-based arithmetic of no gain)," *MasterResource*, May 6, 2009, <http://www.masterresource.org/2009/05/part-i-a-climate-analysis-of-the-waxman-markey-climate-bill%E2%80%94the-impacts-of-us-actions-alone/>.

Pg. 33 Steven F. Hayward and Kenneth P. Green, "Waxman-Markey: An Exercise in Unreality" *Energy and Environment Outlook*, No. 3, American Enterprise Institute for Public Policy Research, July 2009, available at <http://www.aei.org/files/2009/07/10/EEO-03-July-09-g.pdf>.

Pg. 34 Nigel W. Arnell et al., "The Consequences of CO₂ Stabilization for the Impacts of Climate Change," *Climate Change*, Vol. 53, No. 4, June 2002, pages 413-46; Nigel W. Arnell, "Climate Change and Global Water Resources," *Global Environmental Change*, Vol. 9, Supplement 1, October 1999, pages S31-S49; Indur M. Goklany, "Relative Contributions of Global Warming to Various Climate Sensitive Risks, and Their Implications for Adaptation and Mitigation," *Energy and Environment*, Vol. 14, No. 6, November 1, 2003.

Pg. 35 Indur M. Goklany, "Living with Global Warming," National Center for Policy Analysis, Policy Report No. 278, September 2005. Available at <http://www.ncpa.org/pub/st278>.

Pg. 36 Paul M. Bernstein et al., "Effects of Restrictions on International Permit Trading: The MS-MRT Model," in "The Costs of the Kyoto Protocol: A Multi-Model Evaluation," *Energy Journal*, Special Issue, May 1999, pages 221-56.

Pg. 37 "Copenhagen Consensus 2004: Today's Challenge—Tomorrow's Opportunity," Copenhagen Consensus Center. Available at http://www.copenhagenconsensus.com/Admin/Public/Download.aspx?file=Files/Files/CC/Press/UK/copenhagen_consensus_result_FINAL.pdf.

National Center for Policy Analysis

12770 Coit Rd., Suite 800
Dallas, TX 75251
Phone (972) 386-6272

601 Pennsylvania Avenue NW
Suite 900 South Building
Washington, DC 20004
Phone (202) 220-3082

www.ncpa.org

