

2023 Uniform Data Set (UDS) Measure Crosswalk to Other Quality Reporting Programs

Measure Name	Uniform Data System 2023 Manual			2023 CMS eCQM	CMIT number	CMS Quality Payment Program (QPP)	2023 Medicare Shared Savings Program (SSP ACO Measure Set)	Core Quality Measures Collaborative (CQMC) Core Sets (Updated 2023)	Comparable 2023 HEDIS Measure	CMS Universal Foundation	Child and Adult Health Care Quality Measures (Medicaid Core Sets)
	UDS Table	UDS Line/Section	Detailed Measure Description								
Early Entry Into Prenatal Care	6B	7,8,9	Percentage of prenatal care patients who entered prenatal care during their first trimester.						Access/Availability of Care: Prenatal and Postpartum Care (PPC)		
Childhood Immunization Status	6B	10	Percentage of children 2 years of age who had four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV), one measles, mumps and rubella (MMR); three or four H influenza type B (HiB); three Hepatitis B (Hep B); one chicken pox (VZV); four pneumococcal conjugate (PCV); one Hepatitis A (Hep A); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday.	CMS 117v11	124	240		Pediatrics	Effectiveness of Care: Child Immunization Status (CIS)	Pediatric: Wellness and prevention	Child: Primary Care Access and Preventive Care (CIS-CH)
Cervical Cancer Screening	6B	11	Percentage of women 21*-64 years of age who were screened for cervical cancer using either of the following criteria: 1) Women age 21*-64 who had cervical cytology performed within the last 3 years 2) Women age 30-64 who had human papillomavirus (HPV) testing performed within the last 5 years	CMS 124v11	118	309		ACO & PCMH/Primary Care Obstetrics & Gynecology	Effectiveness of Care: Cervical Cancer Screening (CCS)		Adult: Primary Care Access and Preventive Care (CCS-AD)
Breast Cancer Screening	6B	11a	Percentage of women 50*-74 years of age who had a mammogram to screen for breast cancer in the 27 months prior to the end of the measurement period. *Use 52 as the initial age to include in assessment.	CMS 125v11	93	112	112/PREV-5	ACO & PCMH/Primary Care Obstetrics & Gynecology	Effectiveness of Care: Breast Cancer Screening (BCS) Measures Reported Using Electronic Clinical Data Systems: Breast Cancer Screening (BCS-E)	Adult: Wellness and prevention	Adult: Primary Care Access and Preventive Care (BCS-AD)
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents	6B	12	Percentage of patients 3-17* years of age who had an outpatient medical visit and who had evidence of height, weight, and body mass index (BMI) percentile documentation and who had documentation of counseling for nutrition and who had documentation of counseling for physical activity during the measurement period. *Patients 3 through 17 years of age with at least one outpatient medical visit by the end of the measurement period, as specified in the measure criteria	CMS 155v11	760	239		Pediatrics	Effectiveness of Care: Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC)	Pediatric: Wellness and prevention	Child: Primary Care Access and Preventive Care (WCC-CH)
Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan	6B	13	Percentage of patients aged 18 and older with BMI documented during the most recent visit or during the measurement period and who had a follow-up plan documented if BMI was outside of normal parameters	CMS 69v11	594	128		ACO & PCMH/Primary Care			
Preventive Care & Screening: Tobacco Use: Screening & Cessation Intervention	6B	14a	Percentage of patients aged 18 and older who were screened for tobacco use one or more times during the measurement period and who received tobacco cessation intervention during the measurement period or in the 6 months prior to the measurement period if identified as a tobacco user	CMS 138v11	596	226	226/PREV-10	ACO & PCMH/Primary Care Behavioral Health Cardiology	Effectiveness of Care: Medical Assistance with Smoking and Tobacco Cessation (MSC)		
Statin Therapy for the Prevention and Treatment of Cardiovascular Disease	6B	17a	Percentage of the following patients- all considered at high risk of cardiovascular events -who were prescribed or were on statin therapy during the measurement period: - All patients who have an active diagnosis of clinical atherosclerotic cardiovascular disease (ASCVD) or have ever had an ASCVD procedure, or - Patients 20 years of age or older who have ever had a low-density lipoprotein cholesterol (LDL-C) laboratory result level greater than or equal to 190 mg/dL or were previously diagnosed with or currently have an active diagnosis of familial or hypercholesterolemia, or - Patients 40 through 75 years of age with a diagnosis of diabetes	CMS 347v6	701	438	438/PREV-13	Cardiology	Effectiveness of Care: Cardiovascular Conditions: Statin Therapy for Patients with Cardiovascular Disease and Diabetes (SPC/SPD)		
Ischemic vascular disease (IVD): Use of Aspirin or Another Antiplatelet	6B	18	Percentage of patients 18 years of age and older who were diagnosed with acute myocardial infarction (AMI), or who had a coronary bypass graft (CABG) or percutaneous coronary interventions (PCIs) in the 12 months prior to the measurement period or who had an active diagnosis of IVD during the measurement period, and who had documented use of aspirin or another antiplatelet during the measurement period.	CMS164v7 (no longer active)	406	Close to 006					

Uniform Data System 2023 Manual											
Measure Name	UDS Table	UDS Line/Section	Detailed Measure Description	2023 CMS eCQM	CMIT number	CMS Quality Payment Program (QPP)	2023 Medicare Shared Savings Program (SSP ACO Measure Set)	Core Quality Measures Collaborative (CQMC) Core Sets (Updated 2023)	Comparable 2023 HEDIS Measure	CMS Universal Foundation	Child and Adult Health Care Quality Measures (Medicaid Core Sets)
Colorectal Cancer Screening	6B	19	Percentage of adults 45*-75 years of age who had appropriate screening for colorectal cancer. *Use 46 on or after December 31 as the initial age to include in assessment.	CMS 130v11	139	113	113/PREV-6	ACO & PCMH/Primary Care	Effectiveness of Care: Colorectal Cancer Screening (COL) Measures Reported Using Electronic Clinical Data Systems: Colorectal Cancer Screening (COL-E)	Adult: Wellness and prevention	Adult: Primary Care Access and Preventive Care (COL-AD)
HIV Linkage to Care	6B	20	Percentage of patients newly diagnosed with HIV who were seen for follow-up treatment within 30 days of diagnosis.								
HIV Screening	6B	20a	Percentage of patients aged 15-65 at the start of the measurement period who were between 15-65 years old when tested for HIV.	CMS 349v5	324	475		HIV & Hepatitis C Obstetrics and Gynecology			
Preventive Care and Screening: Screening for Depression and Follow-Up Plan	6B	21	Percentage of patients aged 12 years and older screened for depression on the date of the visit or up to 14 days prior to the date of the visit using an age-appropriate standardized depression screening tool and , if positive, a follow-up plan is documented on the date of or up to two days after the date of the qualifying visit	CMS 2v12	672	134	134/PREV	ACO & PCMH/Primary Care Behavioral Health Pediatrics Obstetrics & Gynecology Medical Oncology	Measures Collected Using Electronic Clinical Data Systems: Depression Screening and Follow-Up for Adolescents and Adults (DSF)	Adult: Behavioral Health Pediatric: Behavioral Health	Child: Behavioral Health Care (CDF-CH) Adult: Behavioral Health Care (CDF-AD)
Depression Remission at Twelve Months	6B	21a	Percentage of patients aged 12 and older with major depression or dysthymia who reached remission 12 months (+/- 60 days) after an index event.	CMS159v11	190	370	370/MH-1		Measures Collected Using Electronic Clinical Data Systems: Depression Remission or Response for Adolescents and Adults (DRR)		
Dental Sealants for Children between 6-9 Years	6B	22	Percentage of children, age 6-9 years at moderate to high risk for caries who received a sealant on a first permanent molar during the measurement period.		830						Child: Dental and Oral Health Services (SFM-CH)
Low Birth Weight	7	1b-1d	Percentage of babies of health center prenatal care patients born whose birth weight was below normal (less than 2,500 grams).		413						Child: Maternal and Perinatal Health (LBW-CH)
Controlling High Blood Pressure	7	2a-2c	Percentage of patients 18-85 years of age who had a diagnosis of essential hypertension starting before and continuing into, or starting during the first six months of the measurement period and whose most recent blood pressure (BP) was adequately controlled (less than 140/90 mm Hg) during the measurement period.	CMS 165v11	167	236	236/HTN-2	ACO & PCMH/Primary Care Cardiology	Effectiveness of Care: Controlling High Blood Pressure (CBP)	Adult: Chronic Conditions	Adult: Care of Acute and Chronic Conditions (CBP-AD)
Diabetes: Hemoglobin A1c (HbA1c) Poor Control (>9.0%)	7	3a-3f	Percentage of patients 18-75 years of age with diabetes who had hemoglobin A1c (HbA1c) greater than 9.0 percent during the measurement period.	CMS 122v11	204	001	001/DM-2	ACO & PCMH/Primary Care	Effectiveness of Care: Comprehensive Diabetes Care (CDC)	Adult: Chronic Conditions	

Sources:

- [Uniform Data System \(UDS\) Reporting Resources](#)
- [CMS Measures Inventory Tool](#)
- [CMS eCQM Library Annual Updates](#)
- [CMS Quality Payment Program Merit Based Incentive System \(QPP MIPS\) Quality Measures Requirements](#)
- [Medicare Shared Savings Program - Alternative Payment Model \(APM\) Performance Pathway \(APP\), starting in 2022 - measures align with QPP](#)
- [Core Quality Measures Collaborative Core Sets](#)
- [HEDIS Measures and Technical Resources](#)
- [Child and Adult Health Care Quality Measures | Medicaid](#)

This project is supported by the Health Resources and Services Administration (HRSA) of the U.S. Department of Health and Human Services (HHS) as part of an award totaling \$500,000 with 0% financed with non-The contents are those of the author(s) and do not necessarily represent the official view of, nor an endorsement, by HRSA, HHS or the U.S. Government. Updated January 2024.